Con-nect Text Retrieval Administration

This chapter covers the following topics:

- General Information About Con-nect Text Retrieval Administration

- Con-nect Text Retrieval System Defaults

- Con-nect Text Retrieval Cabinet Profile

- Con-nect Text Retrieval Command and Object Table

- Con-nect Text Retrieval and the Application Programming Interface

- Con-nect Text Retrieval Utilities

General Information About Con-nect Text Retrieval Administration

Con-nect Text Retrieval is a selectable unit offered with Con-nect Version 3. Con-nect Text Retrieval enables you to retrieve text from a document or reference document which is filed in a TRS folder.

Documents filed in Con-nect can be transferred to Natural Document Management and vice versa. See the Natural Document Management documentation for further information.

Special administrative functions which apply only to Con-nect Text Retrieval are discussed in this section.

Con-nect Text Retrieval System Defaults

When Con-nect Text Retrieval is initially installed on your system, the number of text blocks that can be inverted online, the number of entries which can be alphabetized and the number of entries which can be retrieved per FIND command are set to their default specifications.

These defaults can be modified on the "Administration - System Defaults" screen, as shown below.

Note:
If you re-install or upgrade Con-nect Text Retrieval at a later date, the modifications you make to the defaults are retained.

```
  4:21 PM              * * *  C O N - N E C T  3  * * *              12.Mar.98
 Cabinet LS                 Administration - System Defaults              A06701

              System Name   * * *  C O N - N E C T  3  * * *
                            ....+....1....+....2....+....3....+....4

             CPU Timezone 1   (relative to Greenwich Mean Time)
     Days in Wastebasket 60          Days until Expiration   365
 Con-nect sliding window __     or   Use Natural YSLW( 0  )  X

     Trace Cabinet Usage X          Archive on Expiration   x
 Force to check Password _         Days between registered Backup
                                    and Cabinet Deletion
 Con-nect TRS profile
               Limit to  220   text blocks to invert online
               Limit to  200   entries to be alphabetized
               Limit to  2000  entries per FIND criteria
        Usage within API  _

Enter-PF1---PF2---PF3---PF4---PF5---PF6---PF7---PF8---PF9---PF10--PF11--PF12---
     Help  Menu  Quit  Prof  Addr
Make required changes and press ENTER to modify
```

Text blocks to invert online (for TRS only)

The number of text blocks from a TRS document that can be inverted online. (Default: 10)

Note:
A text block consists of 20 text lines.

Keep in mind that increasing the number of text blocks inverted online will slow your online system down.

Whenever a user manages (issues commands such as MODIFY, FILE, TRANSLATE) a TRS document larger than what your system can invert online, it is automatically moved in the system folder TRS-XXL. When the batch utility "Invert Long Documents" is run, documents within this folder are inverted and moved back to the user's TRS folder. See *Con-nect Utilities*, section *Invert Long Documents* for further information.

Entries to be alphabetized

The number of entries per category, root or synonym that can be alphabetized. You cannot specify more than 200 entries. (Default: 100)

If the entries of a category, root or synonym exceeds the limit specified here they are not listed in alphabetical order.

Entries per FIND criteria

The maximum number of entries that can be retrieved per FIND command. Up to 9999 can be retrieved. (Default: 2,000)

Usage within API

Allows users to access Con-nect Text Retrieval files from Natural Document Management or from a user written program using the Con-nect API subprograms. (Default: Yes)

Con-nect Text Retrieval Cabinet Profile

The Con-nect administrator must ensure that the Text Retrieval (TRS) function is permitted in the profiles of users who should be able to use Con-nect Text Retrieval. See *The Cabinet Profile SYSCNT* and *Cabinet Profile*.

Con-nect Text Retrieval Command and Object Table

The following commands and objects may be permitted for each user who uses Con-nect Text Retrieval:

Object	Command
Category	ADD, DISPLAY, MODIFY
Query	ADD, DISPLAY, ERASE, FILE, INFO, MODIFY, PERFORM, PRINT, USE
Results	DISPLAY, MODIFY, INFO, USE
Root	ADD, DISPLAY, MODIFY
Synonym	ADD, DISPLAY, MODIFY
Word	ADD, DISPLAY, MODIFY
(no object)	FIND
(no object)	RULE

Note:

These commands and objects are allowed for each user by default.

See *Command and Object Table* for further information.

Con-nect Text Retrieval and the Application Programming Interface

The Application Programming Interface consists of the following API subprograms for Con-nect Text Retrieval which are delivered with Con-nect:

- Z-TRSCL

- Z-TRSOP

- Z-TRS11

These API subprograms are described in the *Con-nect Application Programming Interface* documentation.

Con-nect Text Retrieval Utilities

The following utilities for Con-nect Text Retrieval are delivered with Con-nect:

Add System Folder TRS-XXL

Add system folder TRS-XXL to a cabinet, a range of cabinets or all cabinets.

Delete System Folder TRS-XXL

Delete system folder TRS-XXL from a cabinet, a range of cabinets or all cabinets.

Invert Long Documents

Invert TRS documents which are filed in folder TRS-XXL.

Invert Contents of TRS Folders in Cabinet(s)

Invert documents and reference documents filed in TRS folder(s) within the specified cabinet, range of cabinets or all cabinets.

These utilities are described in the *Con-nect Utilities* documentation.